



ASSA ABLOY

Experience a safer
and more open world



QL Series Cylindrical Lever Locks



Features:

Door Preparation – Requires standard 2-1/8" (54mm) bore through door.

Backset – 2-3/4" (70mm)

Handing – Non-handed

Packaging – 6 per case

Strike – 4-7/8" ANSI (124mm)

Cylinder Options – QL Series locksets are supplied standard with solid brass 6-pin cylinders pinned in all 6 chambers with two nickel plated brass keys. The Arrow AR keyway is standard with the Schlage CS keyway as optional, keyed different. Optional: Small Format Interchangeable Core – lockset prepared for use with 6 or 7 pin interchangeable core. Supplied less core but packed with 6 and 7 pin tailpieces. Suffix "IC". Medeco/Assa Large Format Interchangeable core – the lockset is prepared for use with the Medeco or Assa large format interchangeable core cylinder. Supplied less core but packed with the tailpiece. Suffix "LIC". Schlage Large Format Interchangeable core – the lockset is prepared for use with the Schlage large format interchangeable core cylinder. Supplied less core but packed with the tailpiece. Suffix "SIC".

Door Thickness – Fits 1-3/8" (35mm) to 1-3/4" (44mm) doors standard.

Latch – Stainless Steel 1/2" (13mm) throw, UL Listed, guarded latchbolt on all locking functions

Latch Front – 1-1/8" x 2-1/4" for 2-3/4" (70mm) backset.

Exposed Trim – QL Levers are pressure cast zinc measuring 4-3/4" (121mm) in length. QL Roses are wrought brass 3-5/16" (85mm) diameter. Total projection from face of door is 2-17/32" (65mm).

Freewheeling or Rigid Lever

Warranty – Ten Year Warranty


Finishes:

Arrow Code	BHMA	U.S. Equiv.	Finish Description	
605	605	US3	Bright Brass	
613E	613E	US10BE	Dark Oxidized Satin Bronze Equivalent	
626	626	US26D	Satin Chromium Plated	
BSP	BSP	—	Black Suede Powder Coat	


The QL Series is a robust Grade 1 lockset featuring a Freewheeling Lever for abuse resistance, four screw lockset install for quick installation and a 10 Year Mechanical Warranty. The perfect solution for replacing or upgrading locksets in commercial applications.

Design:

Sierra - SR



Broadway - BRR



Certification & Compliance:




- Arrow QL Series Cylindrical Lever Locks are BHMA Grade 1 Certified, ANSI/BHMA A156.2, Series 4000
- All Arrow QL Series Locks are U.L. and c.U.L. list for use on 3 hour, A label or lesser doors
- Meets American with Disabilities Act Requirements

WARNING

This product can expose you to lead which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov.

Function:

ARROW CODE	FUNCTION		DESCRIPTION
QL01	Passage		Latchbolt operated by lever either side.
QL33	Utility, Asylum, Institutional		Deadlocking latch bolt operated by key in lever, from either side. Both levers are always inoperable.
QL72	Privacy		Latch operated by lever either side except when outside lever is locked by pushing inside button. Outside lever unlocked by turning inside lever, using emergency key, or closing door. Inside lever always operates latch.
QL81	Entrance		Latchbolt operated by lever either side except when outside lever is locked by turn-button inside. When outside lever is locked, latchbolt operated by key outside or turning inside lever. Inside button must be manually released.
QL82	Storeroom		Outside lever always rigid. Latchbolt operated by key in outside lever, or by turning inside lever.
QL87	Classroom		Latchbolt operated by lever either side except when key outside locks outside lever. Inside lever always free. Key outside locks/unlocks outside lever only.
QL93	Utility, Asylum, Institutional		Deadlocking latch bolt operated by key in lever, from either side. Both levers are always inoperable.
QL97	Intruder Classroom		Deadlocking latch bolt operated by lever from either side. Key either inside or outside locks or unlocks outside lever. Inside lever always operates latchbolt.



Indicates lever is rigid at all times.



This product can expose you to lead which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov.

QL Series Cylindrical Lever Locks




ASSA ABLOY

Latches:

Spring Latch

Q73

2-3/4" Backset




1/2" Throw

Dead Latch

Q71

2-3/4" Backset




1/2" Throw

Strikes:

306


Standard with
QL Series



ANSI 115.2

Installation:

161 prep for retrofit and secure installation.



Ordering Example:

Example: To order a QL Series entry function lockset with a Sierra design lever, satin stainless steel finish, with an Q71 strike, and 2-3/4" deadlocking latch, keyed different:

Specify:

Standard:

Series	Function	Design	Finish	Strike	Latch	Keying	Options (if required)
QL	81	SR	26D	306	Q71	KD	XXX

QL Series Cylindrical Lever Locks



ASSA ABLOY

Notes:

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.



ASSA ABLOY

Arrow Lock & Door Hardware
225 Episcopal Road
Berlin, CT 06037
Customer Service: 1-800-327-8539
Technical Product Support: 1-800-327-8539 X2
www.arrowlock.com