




Door Angle	85°	90°	95°	100°	105°	110°
Dim A	13-1/4" (337mm)	12-5/8" (320mm)	12" (305mm)	11-1/2" (292mm)	11-1/8" (283mm)	10-3/4" (273mm)



- Dimensions shown in inches / (mm) unless specified otherwise.
- Electrical requirements:
 - Power input of 120VAC, 5Amp minimum
 - Accessories circuit for activation to operator and low voltage
- For initial set up, doors must be un-latched and free to move
- For additional installation instructions, see instruction sheet 80-9360-1042-020. Visit www.NortonRixson.com
- Refer to page 2 for proper handling of product

**6061 Series Template
for 36"-48" frames with up to 5" Butt Hinges
(shown on 36" and 37"-48" wide frames)
Reveal of 2-1/4" to 4-3/4" and Opening of 85° to 110°**

~~Approved 2023-07-12~~


Page 1



TEMPLATE NUMBER
7360-1049

REV	DATE
2	05/23



Single Push Side




NOTE:
- All illustrations on this page
shown with 36" (914mm)
wide doors

Left Hand
Door
(view from below)

Right Hand
Door
(view from below)




Double Door Push Side





Right Hand
Door
(view from below)



Left Hand
Door
(view from below)




Double Door Double Egress Left Hand



Single Pull Side





Right Hand
Door
(view from below)



Left Hand
Door
(view from below)



Double Door Pull Side



Left Hand
Door
(view from below)

Right Hand
Door
(view from below)

Double Door Double Egress Right Hand



6061 Series Template
for 36"-48" frames with up to 5" Butt Hinges
(shown on 36" and 37"-48" wide frames)
Reveal of 2-1/4" to 4-3/4" and Opening of 85° to 110°

Approved 2023-07-12

Page 2



TEMPLATE NUMBER	REV	DATE
7360-1049	2	05/23

