



## TDC-300 Series

Grade-1 commercial door closers



### Specifications

---

Closer Body	Heavy duty cast aluminum, rack and pinion construction
Spring Sizing	Adjustable spring power from size 1 to 6, factory set to size 3
Speed Control	Independent latch and sweep speed controls
Back Check	Back check intensity control standard
Valves	Staked valves to prevent backing valves out too far
Cover	Molded plastic cover included
Projection	Slim 2-1/8" projection with cover installed
Hole Pattern	12" CTC horizontally x 3/4" CTC vertically
Minimum Top Rail	Regular: 3 1/2" - Top Jamb: 2 1/4" - Parallel Arm: 5 1/4"
Fasteners	Thru bolts with machine screws, wood screws and self tapping machine screws
Mounting Styles	Includes all screws and brackets for Regular, Top Jamb and Parallel Arm installations
Accessories	Hold open arms, heavy duty arms, drop plates, extended arms & more
Applications	Exterior or interior doors in commercial, institutional, and industrial buildings
Finishes	689 Aluminum, 693 Black, 695 Dark Bronze, 696 Brass
Warranty	Limited lifetime warranty

### Code compliance

---

ANSI/BHMA	Meets ANSI A156.4 Grade 1 standards
UL/cUL	UL listed for "A" label 3 hour fire-rated doors, UL10C positive pressure rated
ADA	Meets ADA and ANSI A117.1 accessibility codes



# TDC-300 Series Door Closers

## Standard Models

---



Regular arm mount



Regular arm mount



Parallel arm mount



Parallel arm mount

### TDC-300

Regular arm with parallel arm bracket  
Regular, top jamb, and parallel arm installations

### TDC-300-H

Friction hold open arm with parallel arm bracket  
Regular, top jamb, and parallel arm installations

## Powder Coated Finishes

---



689  
Aluminum



693  
Matte Black



695  
Dark Bronze



696  
Brass

# TDC-300 Series Door Closers

## Arms

---



### TDC-300 Extra Long Arm

Used for deep frame reveals larger than 4" and up to 8" - Direct replacement for standard forearm.



### TDC-300 Friction Hold Open Arm

Used to hold door open in non-fire-rated applications. Hold Open Function using friction type fitting under nut which also allows for multiple hold open positions.



### TDC-300 Extra Duty Arm with Deadstop

Designed for high use and abuse applications. Includes removable auxiliary stop (spring stop available separately as a replacement for auxiliary stop). Parallel arm (push side) mounting only.



### TDC-300 Spring Stop

Used to provide an optional spring stop by replacing the screw-in positive stop on PA bracket of compatible arms.

## Accessories

---




### TDC-300 Regular Arm Drop Plate

Used for regular arm mounting when the top rail is too narrow to allow the closer to be mounted directly to the door surface.



### TDC-300 Top Jamb Drop Plate

Used for top jamb mounting in low ceiling clearance applications or when an overhead door holder prevents normal top jamb mounting of closer body.



### TDC-300 Parallel Arm Drop Plate

Used for parallel arm mounting when the top rail is too narrow to allow the closer to be mounted directly to the door surface.



### TDC-300-BS Blade Stop Spacer

Used as a spacer when the door frame has a blade stop and PA bracket must be mounted on the frame rabbet.