



TDE-1000V Series
Grade-1, heavy-duty
surface vertical rod exit devices



Specifications

Construction	Heavy-duty extruded anodized aluminum channel and steel chassis. Steel headcover, pushbar, endcap, and latches
Handing	Easily Re-handed in the field - Shipped as RHR
Top latch	U Shaped Top Latch for Secure Engagement with strike
Bottom latch	Drop Bolt Style Bottom Latch Secures into flat strike & hole in the floor
Dogging	5/32" hex key dogging standard on panic exit hardware
Lengths	3ft (for 2'4" to 3'0" wide doors)
Door heights	7'0" Standard - Extended top rods available for up to 8'0" tall doors
Center Case	8" height x 2-7/8" wide x 2-13/16" thick - 4-1/2" minimum stile required
Projections	3-3/8" neutral or undogged, 2-13/16" depressed or dogged
Fasteners	Wood, machine & self tapping machine screws
Trim	Escutcheon levers
Undercut	1/4" door under cut recommended for 1/4" threshold or no threshold openings
Finishes	US32D/630 satin stainless steel
Warranty	Limited lifetime warranty

Code compliance

ANSI/BHMA	Meets ANSI/BHMA A156.3 Grade 1 standards
UL/cUL	UL listed panic hardware, 'F' model UL listed for "A" label 3 hour fire doors
ADA	Meets ADA and ANSI A117.1 accessibility codes with lever trim
CA Fire	Lever trim meets California code for 1/2" lever return to door face





TDE-1000V Series

How to order



1 PREFIX	
None	Standard
CD	Cylinder dogging - panic only
MEL	Motorized latch retraction

2 RATING	
None	Panic rated
F	Fire rated

3 SERIES	
1000	Heavy duty grade 1

4 DEVICE TYPE	
V	Surface vertical rod exit device

5 TRIM / FUNCTION	
EO	Exit only
L	Escutcheon lever (classroom or storeroom)
L-SFIC	Escutcheon lever, SFIC prep (less core)
L-BE	Blank escutcheon lever (passage)
L-DT	Dummy escutcheon lever (rigid)
DT	Pull (dummy)
NL-OP	Night latch cylinder assembly, optional pull

6 DOOR WIDTH	
3FT	For doors 2'4" to 3'0"
4FT	For doors 3'4" to 4'0"

7 DOOR HEIGHT	
7FT	For 7'0" doors
8FT	For 8'0" doors

8 DEVICE FINISH	
US32D	Satin stainless steel



US32D/630
Satin stainless steel



L - Escutcheon lever



L-BE - Escutcheon lever



TDE-1000V Exit Device Trim

Escutcheon Lever Trim



TDE-E08
ANSI Function: 08 or 09
Classroom / Night Latch



TDE-E08-SFIC
ANSI Function: 08 or 09
Classroom / Night Latch



TDE-E14
ANSI Function: 14
Passage



TDE-E02
ANSI Function: 02
Dummy

Pull Trim



TDE-DT
ANSI Function: 02
Dummy