



## TDE-2000V Series

Grade-1, surface vertical rod exit devices



## Specifications

Construction	Roll formed steel mechanism case, steel cover plate, chassis, center case cover, push pad, and end cap (painted finish)
Handing	Easily Re-handed in the field - Shipped as RHR
Top latch	U Shaped Top Latch for Secure Engagement with strike
Bottom latch	Drop Bolt Style Bottom Latch Secures into flat strike & hole in the floor
Dogging	5/32" hex key dogging standard on panic exit hardware
Lengths	3ft (for 2'4" to 3'0" wide doors), 4ft (for 3'4" to 4'0" wide doors)
Door heights	7'0" Standard - Extended top rods available for up to 8'0" tall doors
Center Case	6" height x 2-15/16" wide x 2-1/2" thick - 4" minimum stile required
Projections	2-1/2" neutral or undogged, 1-13/16" depressed or dogged
Fasteners	Wood, machine & self tapping machine screws
Trim	Escutcheon levers
Undercut	1/4" door under cut recommended for 1/4" threshold or no threshold openings
Finishes	AL/SP28 aluminum, BLK matte black
Warranty	Limited lifetime warranty

## Code compliance


ANSI/BHMA	Meets ANSI/BHMA A156.3 Grade 1 standards
UL/cUL	UL listed panic hardware, 'F' model UL listed for "A" label 3 hour fire doors
ADA	Meets ADA and ANSI A117.1 accessibility codes with lever trim
CA Fire	Lever trim meets California code for 1/2" lever return to door face





## TDE-2000V Series

### How to order



1 PREFIX	
None	Standard
ALK	Alarm kit

2 RATING	
None	Panic rated
F	Fire rated

3 SERIES	
2000	Medium duty grade 1

4 DEVICE TYPE	
V	Surface vertical rod exit device

5 TRIM / FUNCTION	
EO	Exit only
L	Escutcheon lever (classroom or storeroom)
L-SFIC	Escutcheon lever, SFIC prep (less core)
L-BE	Blank escutcheon lever (passage)
L-DT	Dummy escutcheon lever (rigid)
DT	Pull (dummy)
NL-OP	Night latch cylinder assembly, optional pull

6 DOOR WIDTH	
3FT	For doors 2'4" to 3'0"
4FT	For doors 3'4" to 4'0"

7 DOOR HEIGHT	
7FT	For 7'0" doors
8FT	For 8'0" doors

7 DEVICE FINISH	
AL	Aluminum powder coat
BLK	Matte black powder coat



AL/SP28  
Aluminum



BLK  
Matte Black



L - Escutcheon lever



L-BE - Escutcheon lever



## TDE-2000V Exit Device Trim

### Escutcheon Lever Trim

---



TDE-E08  
ANSI Function: 08 or 09  
Classroom / Night Latch



TDE-E08-SFIC  
ANSI Function: 08 or 09



TDE-E14  
ANSI Function: 14  
Passage



TDE-E02  
ANSI Function: 02  
Dummy

### Pull Trim

---



TDE-DT  
ANSI Function: 02  
Dummy